


A01.S




1.0719 - Cementado HRC60

T1	T2	D1	D2	D3	D	J	K	CÓDIGO	D	CÓDIGO
3	3	16	14	14	9	16	15	S 09 016 015	10	S 10 016 015
							25	S 09 016 025		S 10 016 025
							35	S 09 016 035		S 10 016 035
						20	25	S 09 020 025		S 10 020 025
							35	S 09 020 035		S 10 020 035
						26	25	S 09 026 025		S 10 026 025
							35	S 09 026 035		S 10 026 035
							45	S 09 026 045		S 10 026 045
							65	S 09 026 065		S 10 026 065
						36	25	S 09 036 025		S 10 036 025
							35	S 09 036 035		S 10 036 035
							45	S 09 036 045		S 10 036 045
							65	S 09 036 065		S 10 036 065
						46	35	S 09 046 035		S 10 046 035
							45	S 09 046 045		S 10 046 045
							65	S 09 046 065		S 10 046 065
						56	45	S 09 056 045		S 10 056 045
							65	S 09 056 065		S 10 056 065
6	9	25	20	20	14	16	15	S 14 016 015	15	S 15 016 015
							25	S 14 016 025		S 15 016 025
							45	S 14 016 045		S 15 016 045
							65	S 14 016 065		S 15 016 065
						20	25	S 14 020 025		S 15 020 025
							35	S 14 020 035		S 15 020 035
							55	S 14 020 055		S 15 020 055
							75	S 14 020 075		S 15 020 075
							100	S 14 020 100		S 15 020 100
						26	35	S 14 026 035		S 15 026 035
							45	S 14 026 045		S 15 026 045
							65	S 14 026 065		S 15 026 065
							85	S 14 026 085		S 15 026 085
							100	S 14 026 100		S 15 026 100
							120	S 14 026 120		S 15 026 120
							160	S 14 026 160		S 15 026 160

T1	T2	D1	D2	D3	D	J	K	CÓDIGO	D	CÓDIGO
6	9	25	20	20	14	36	35	S 14 036 035	15	S 15 036 035
							45	S 14 036 045		S 15 036 045
							65	S 14 036 065		S 15 036 065
							85	S 14 036 085		S 15 036 085
							100	S 14 036 100		S 15 036 100
							120	S 14 036 120		S 15 036 120
							160	S 14 036 160		S 15 036 160
						46	35	S 14 046 035		S 15 046 035
							45	S 14 046 045		S 15 046 045
							65	S 14 046 065		S 15 046 065
							85	S 14 046 085		S 15 046 085
							100	S 14 046 100		S 15 046 100
							120	S 14 046 120		S 15 046 120
						56	45	S 14 056 045		S 15 056 045
							65	S 14 056 065		S 15 056 065
							100	S 14 056 100		S 15 056 100
						66	65	S 14 066 065		S 15 066 065
							100	S 14 066 100		S 15 066 100
						76	65	S 14 076 065		S 15 076 065
							100	S 14 076 100		S 15 076 100
6	9	31	26	26	18	16	25	S 18 016 025	20	S 20 016 025
							35	S 18 016 035		S 20 016 035
							55	S 18 016 055		S 20 016 055
						20	25	S 18 020 025		S 20 020 025
							35	S 18 020 035		S 20 020 035
							55	S 18 020 055		S 20 020 055
							75	S 18 020 075		S 20 020 075
							100	S 18 020 100		S 20 020 100

Obs: Para pedido defina A01.CÓDIGO
No código a letra S equivale à referência **DMS SGP**

Medidas em milímetros

A01.S



I.U/19 - Cementado HRC60

T1	T2	D1	D2	D3	D	J	K	CÓDIGO	D	CÓDIGO
6	9	31	26	26	18	26	35	S 18 026 035	20	S 20 026 035
							45	S 18 026 045		S 20 026 045
							65	S 18 026 065		S 20 026 065
							85	S 18 026 085		S 20 026 085
							100	S 18 026 100		S 20 026 100
							120	S 18 026 120		S 20 026 120
							160	S 18 026 160		S 20 026 160
							200	S 18 026 200		S 20 026 200
						36	35	S 18 036 035		S 20 036 035
							45	S 18 036 045		S 20 036 045
							65	S 18 036 065		S 20 036 065
							85	S 18 036 085		S 20 036 085
							100	S 18 036 100		S 20 036 100
							120	S 18 036 120		S 20 036 120
							160	S 18 036 160		S 20 036 160
							200	S 18 036 200		S 20 036 200
							240	S 18 036 240		S 20 036 240
						46	45	S 18 046 045		S 20 046 045
							65	S 18 046 065		S 20 046 065
							85	S 18 046 085		S 20 046 085
							100	S 18 046 100		S 20 046 100
							120	S 18 046 120		S 20 046 120
							160	S 18 046 160		S 20 046 160
						56	45	S 18 056 045		S 20 056 045
							65	S 18 056 065		S 20 056 065
							100	S 18 056 100		S 20 056 100
							160	S 18 056 160		S 20 056 160
						66	65	S 18 066 065		S 20 066 065
							100	S 18 066 100		S 20 066 100
							160	S 18 066 160		S 20 066 160
						76	65	S 18 076 065		S 20 076 065
							100	S 18 076 100		S 20 076 100
							160	S 18 076 160		S 20 076 160
						96	65	S 18 096 065		S 20 096 065
							100	S 18 096 100		S 20 096 100
							160	S 18 096 160		S 20 096 160
6	9	35	30	30	22	16	25	S 22 016 025	24	S 24 016 025
							45	S 22 016 045		S 24 016 045
							65	S 22 016 065		S 24 016 065

T1	T2	D1	D2	D3	D	J	K	CÓDIGO	D	CÓDIGO
6	9	35	30	30	22	20	25	S 22 020 025	24	S 24 020 025
							45	S 22 020 045		S 24 020 045
							65	S 22 020 065		S 24 020 065
							85	S 22 020 085		S 24 020 085
							100	S 22 020 100		S 24 020 100
						26	35	S 22 026 035		S 24 026 035
							45	S 22 026 045		S 24 026 045
							65	S 22 026 065		S 24 026 065
							85	S 22 026 085		S 24 026 085
							100	S 22 026 100		S 24 026 100
							120	S 22 026 120		S 24 026 120
							160	S 22 026 160		S 24 026 160
							200	S 22 026 200		S 24 026 200
						36	45	S 22 036 045		S 24 036 045
							65	S 22 036 065		S 24 036 065
							85	S 22 036 085		S 24 036 085
							100	S 22 036 100		S 24 036 100
							120	S 22 036 120		S 24 036 120
							160	S 22 036 160		S 24 036 160
							200	S 22 036 200		S 24 036 200
							240	S 22 036 240		S 24 036 240
						46	45	S 22 046 045		S 24 046 045
							65	S 22 046 065		S 24 046 065
							85	S 22 046 085		S 24 046 085
							100	S 22 046 100		S 24 046 100
							120	S 22 046 120		S 24 046 120
							160	S 22 046 160		S 24 046 160
						56	45	S 22 056 045		S 24 056 045
							65	S 22 056 065		S 24 056 065
							100	S 22 056 100		S 24 056 100
							120	S 22 056 120		S 24 056 120
							160	S 22 056 160		S 24 056 160
						66	65	S 22 066 065		S 24 066 065
							100	S 22 066 100		S 24 066 100
							160	S 22 066 160		S 24 066 160
						76	65	S 22 076 065		S 24 076 065
							100	S 22 076 100		S 24 076 100
							120	S 22 076 120		S 24 076 120
							160	S 22 076 160		S 24 076 160

Obs: Para pedido defina A01.CÓDIGO
 No código a letra S equivale à referência **DMS SGP**

A01.S



1.0719 - Cementado HRC60

T1	T2	D1	D2	D3	D	J	K	CÓDIGO	D	CÓDIGO
6	9	35	30	30	22	96	65	S 22 096 065	24	S 24 096 065
							100	S 22 096 100		S 24 096 100
							160	S 22 096 160		S 24 096 160
						116	65	S 22 116 065		S 24 116 065
							100	S 22 116 100		S 24 116 100
							160	S 22 116 160		S 24 116 160
6	9	47	42	42	30	26	45	S 30 026 045	32	S 32 026 045
							65	S 30 026 065		S 32 026 065
							100	S 30 026 100		S 32 026 100
							160	S 30 026 160		S 32 026 160
							200	S 30 026 200		S 32 026 200
						36	45	S 30 036 045		S 32 036 045
							65	S 30 036 065		S 32 036 065
							85	S 30 036 085		S 32 036 085
							100	S 30 036 100		S 32 036 100
							160	S 30 036 160		S 32 036 160
							200	S 30 036 200		S 32 036 200
							240	S 30 036 240		S 32 036 240
						46	45	S 30 046 045		S 32 046 045
							65	S 30 046 065		S 32 046 065
							85	S 30 046 085		S 32 046 085
							100	S 30 046 100		S 32 046 100
							160	S 30 046 160		S 32 046 160
							200	S 30 046 200		S 32 046 200
							240	S 30 046 240		S 32 046 240
						56	65	S 30 056 065		S 32 056 065
							100	S 30 056 100		S 32 056 100
							160	S 30 056 160		S 32 056 160
							200	S 30 056 200		S 32 056 200
							240	S 30 056 240		S 32 056 240
						66	85	S 30 066 085		S 32 066 085
							100	S 30 066 100		S 32 066 100
							160	S 30 066 160		S 32 066 160
							200	S 30 066 200		S 32 066 200

T1	T2	D1	D2	D3	D	J	K	CÓDIGO	D	CÓDIGO
6	9	47	42	42	30	76	85	S 30 076 085	32	S 32 076 085
							100	S 30 076 100		S 32 076 100
							160	S 30 076 160		S 32 076 160
							200	S 30 076 200		S 32 076 200
						96	85	S 30 096 085		S 32 096 085
							100	S 30 096 100		S 32 096 100
							160	S 30 096 160		S 32 096 160
						116	100	S 30 116 100		S 32 116 100
							160	S 30 116 160		S 32 116 160
							200	S 30 116 200		S 32 116 200
						136	100	S 30 136 100		S 32 136 100
							160	S 30 136 160		S 32 136 160
							200	S 30 136 200		S 32 136 200
6	9	56	52	52	40	56	100	S 40 056 100	42	S 42 056 100
							160	S 40 056 160		S 42 056 160
						66	100	S 40 066 100		S 42 066 100
							160	S 40 066 160		S 42 066 160
						76	100	S 40 076 100		S 42 076 100
							160	S 40 076 160		S 42 076 160
							200	S 40 076 200		S 42 076 200
						96	100	S 40 096 100		S 42 096 100
							160	S 40 096 160		S 42 096 160
						116	100	S 40 116 100		S 42 116 100
							160	S 40 116 160		S 42 116 160
							200	S 40 116 200		S 42 116 200
						136	160	S 40 136 160		S 42 136 160
							200	S 40 136 200		S 42 136 200

Obs: Para pedido defina A01.CÓDIGO
No código a letra S equivale à referência DMS SGP

Medidas em milímetros