

## WODEX® HACKSAWS

### ITEM: WX4780

Manual hacksaws **PREMIUM QUALITY** robust and ergonomic made of aluminum alloy with soft and no-slip rubber inserts, to work safely with minimum effort even in the most uncomfortable situations. Maximum cutting precision with the possibility to tilt the blade at 40°. Easily adjustable blade tension through the clamping device integrated in the lower part of the handle. Supplied with **BI-METAL** 24 Z blade.



Tech. Code	Blade mm	Blade Inc.	Weight g	
F4080300	300	12"	650	5

## WODEX® HACKSAW BLADES

### ITEM: WX4788

**HIGH PERFORMANCE** high cobalt content hacksaw blades  
BI-METAL HSS - 300 mm 24 Z.

Tech. Code	Blade mm	Blade Inc.	Weight g	
F4145300	300	12"	18	

## WODEX® HACKSAW AND CUTTING NIPPERS IN FOAM

### ITEM: WX9512/SE12

Set comprising a **PREMIUM QUALITY** hacksaw complete with 10 Bi-Metal blades 300 mm 24Z and a pair of **HEAVY DUTY** 1000 V insulated cutting nippers. Complete with Eva Tray module for Wodex trolleys  
Module size 200x447 mm - Vertical position



#### Composition:

**WX4780** Hacksaw ERGOFORM 300 mm  
**WX3620** Cutting nippers Heavy-Duty 180 mm  
**WX4788** 10 Saw blades 300 mm 24Z Bi-Metal

Tech. Code	F408212
Pieces	12

## HACKSAWS

### ITEM: F4130

Hacksaws with 16x10x1.35 mm section rolled steel frame and aluminium handle. The couplings allow the blade to be inserted either vertically or horizontally. Wing nut type blade tensioning. Supplied with a 24 Z blade.

Tech. Code	Blade mm	Blade Inc.	Weight g
F4130300	300	12"	815

### ITEM: F4135

Hacksaws with 18x8 mm section rolled steel frame and square couplings with cross cuts for inserting the blade either vertically or horizontally. Wooden handle and wing nut type blade tensioning. Supplied with a 24 Z blade

Tech. Code	Blade mm	Blade Inc.	Weight g
F4135300	300	12"	560

### ITEM: F4140

Hacksaws with 18x8 mm section rolled steel frame and square couplings with cross cuts for inserting the blade either vertically or horizontally. Blade tension adjustment by turning the bi-component handle. Supplied with a 24 Z blade.

Tech. Code	Blade mm	Blade Inc.	Weight g
F4140300	300	12"	815