

ITEM: ZY

Cylinder-shaped, pink corundum, high-stability edges and shape, low-wear and long-lasting grinding wheels. Suitable for mechanical workpiece grinding, bur removal, chamfers for welding preparation.

Tech. Cod	0	G540502053	G540503063	G540504083	G540505103	G540506133
DxT	mm	2 x 5	3 x 6	4 x 8	5 x 10	6 x 13
Shank	mm			3		
Specification				AR 100 O 5 V		
	€.					
Tech. Cod	е	G540508103	G540510133	G540506136	G540508106	G540510136
DxT	mm	8 x 10	10 x 13	6 x 13	8 x 10	10 x 13

T

D

,----,

D

................

	0510500100	0510510100	05/0500/00	05/0500/00	0510510100
Tech. Code	G540508103	G540510133	G540506136	G540508106	G540510136
DxT mr	n 8 x 10	10 x 13	6 x 13	8 x 10	10 x 13
Shank mr	n	3		6	
Specification	AR 80 O 5 V	AR 46 O 5 V	AR 100 O 5 V	AR 80 O 5 V	AR 46 O 5 V
19	1-				
Tech. Code	G540513136	G540516206	G540520206	G540525256	G540532326

Tech. Code	G540513136	G540516206	G540520206	G540525256	G540532326
DxT mm	13 x 13	16 x 20	20 x 20	25 x 25	32 x 32
Shank mm		6			
Specification	AR 46 O 5 V		AR 30 O 5 V		AR 24 O 5 V

ITEM: KU

Sphere-shaped, pink corundum, high-stability edges and shape, low-wear and long-lasting grinding wheels. Suitable for mechanical workpiece grinding, bur removal, chamfers for welding preparation.

Tech. Code		G5410053	G5410083	G5410103
D	mm	5	8	10
Shank	mm		3	
Specification		AR 100 O 5 V	AR 80 O 5 V	AR 46 O 5 V
	- 90			

	den				
Tech. Code		G5410106	G5410136	G5410166	G5410206
D	mm	10	13	16	20
Shank	mm		(5	
Specification	1	AR 46 O 5 V			05V
	*				

ITEM: SP

Ogive-shaped, pink corundum, high-stability edges and shape, low-wear and long-lasting grinding wheels. Suitable for mechanical workpiece grinding, bur removal, chamfers for welding preparation.

Tech. Code		G541508166	G541513206	G541520326
DxT	mm	8 x 16	13 x 20	20 x 32
Shank	mm		6	
Specification		AR 80 O 5 V	AR 46 O 5 V	AR 30 O 5 V
	*			

ITEM: KE

Radial cone-shaped, pink corundum, high-stability edges and shape, low-wear and long-lasting grinding wheels. Suitable for mechanical workpiece grinding, bur removal, chamfers for welding preparation.

Tech. Code		G542010256	G542016456	G542020326
DxT	mm	10 x 25	16 x 45	20 x 32
Shank	mm		6	
Specification		AR 46	05V	AR 30 O 5 V
	-			

